Closing an Encounter Opened in Error

Date: 01/17/2017

Once an encounter is opened, it must be closed properly. This includes encounters that are opened by mistake. These "erroneous encounters" can be closed fairly easily using the steps outlined below.

Try It Out!

- 1. Open the Encounter
- 2. From the **Plan** activity and go to the **SmartSets** section
- 3. In the **Search** field, type "error" and press **ENTER**.

OneAssage		Continuous			
Synopsis	> sodium chloride 0.9% infusion	500 mL/hr, Intravenous, Continuous	🖄 Modify	Reorder Discontinue	
	> sodium chloride 0.9% infusion	500 mL/hr, Intravenous, Continuous	🖉 Modify	Reorder Discontinue	
31.5	> sodium chloride 0.9% infusion	500 mL/hr, Intravenous, Continuous	🖉 Modify	Reorder Discontinue	
Plan	Mark All Taking Mark as Reviewed Never Reviewed				
Order Entry	R Pharmacy: RITE AID QA - 08028 - BOSTON, NY - 456 RITE AID ST [Patient Preferred] 🐛 717-761-2633 5, Order Entry				
	S Associate Providers				
E I	2				
Notes	SmartSets				
Scheduled Foll	error 3 + Add				
· ·	Right click on a SmartSet to add to favorites.		✓ Open SmartSe	ts X Clear Selection	

4. The Erroneous Encounter SmartSet is pre-selected for you. Click **Open SmartSets**.

SmartSets		
Search + Add		
Erroneous Encounter Right click on a SmartSet to add to favorites.	٩	✓ <u>Open SmartSets</u> X Clear Selection

5. The SmartSet is configured to complete all the necessary documentation for you. The only thing you need to do is click, **Sign**. You can do this either at the top or bottom of the SmartSet.



6. Click Sign Encounter.

