Health Maintenance:

Managing Reminders, Entering Results, Postponing, Updating Due Dates and Modifying Alerts

Health Maintenance (HM) reminders notify providers when a patient is due or overdue for a regular preventative health care treatment or test.

Health Maintenance (HM)

An indication that there are HM topics or plans due can be found in the Patient Header. To find them, complete the following steps.

1. Click on the Health Maintenance Due Link.

	Male, 54 years MRN: PCP:	Language: En , 08/21/1962 Need Interp: N My Sticky Note Patient Messa Room/Bed: 6N	glish o :: 🏂 ges: 🚰 671-671-1	Allergies Unknown: No Code: Not on MOLST NOT	Primary Ins.: None CSN: 1000395398 Patient Gateway: Inac	tive	BestPractice Advisory (2) Health Maintenance: Due
He	alth Maintena D <u>P</u> ostpone	Ince Remove Postpo <u>n</u> e I Document Past Immuni	zation	Edit Modifiers	Report 🖨 Update HM	Guidelines 📸 Patien	t Registries 🔀 Result Console
	Due Date	Topic	Frequen	cy Date Comp	oleted		
0	8/21/1962	LIPID PANEL	5 year(s)				
0	8/21/1962	BLOOD PRESSURE	2 year(s)		Th	e Health Mainter	nance activity
0	8/21/1962	Depression Screening	1 year(s		an	nears to display t	he status and
0	8/21/1962	LIPID PANEL	5 year(s		ap	due date of t	he HM
e	8/21/1983	Adult Td,Tdap Booster	10 year(3)		uue uate of t	
0	8/21/2012	Colorectal Cancer Screening: Colonoscopy	10 year(3)			
0	9/1/2016	INFLUENZA VACCINE (1)	1 year(s				

2. Enter the appropriate orders in the Visit Task Bar.





Results Console

Results Console is used to enter outside results that will satisfy Health Maintenance topics.

1. From the Health Maintenance Activity, select Results Console button.

Hea	alth Maintena	ance						
£	Postpone >	Remove Postpone Document Past Immunization	tion 🧪 Edit	Modifiers 🔀 Report	🔁 Update HM	Guidelines	Registries	Result Console
	Due Date	Topic	Frequency	Date Completed				
0	8/21/1962	LIPID PANEL	5 year(s)					
0	8/21/1962	BLOOD PRESSURE	2 year(s)					
0	8/21/1962	Depression Screening	1 year(s)					
0	8/21/1962	LIPID PANEL	5 year(s)					
0	8/21/1983	Adult Td, Tdap Booster	10 year(s)					
0	8/21/2012	Colorectal Cancer Screening: Colonoscopy	10 year(s)					
0	9/1/2016	INFLUENZA VACCINE (1)	1 year(s)					

- 2. To document, click on the Results Console header:
 - a. For Lab Health Maintenance Topics (left hand side of screen): enter the information for an outside lab using a numeric value only. There will be a reference range provided that will flag your entry as abnormal if the value is outside the range provided. *Please edit this reference range if the precise reference range of the outside lab is known*. Provide the date of service from the outside lab in the date field; the time is optional.

NOTE: values entered here are not consid	lered when displaying or suppressing cli	nical decision support intervent	Health Maintenance		
1 Labs			HM Colonoscopy	32	
	and the second sec		HM Pap Smear	1	
Outside LDL	100		M Mammography	(b)	
		1 mm 50 High 250	M Diabetic Eye Exam	12	
Outside Unice Misseethumin/Constinies	000		M Diabetic Foot Exam	12	
Outside Alkaline Phosphate Level	4.0		HM Chlamydia Screening	12	
Outside ALT Level	160				
Outside ANC	100				
Outside Carbamazepine (Tegretol) Level	tel				
Outside CBC Level					
Outside Cyclosporine Level	1				
Outside Fit	100				
Outside FOBT					
Outside Lead Screening	1				
Outside Lithium Level					
Outside Phenytoin (Dilantin) Level	12				
Outside Potassium Level	12				
Outside TSH Level					
Outside Pediatric Anemia Screening	12				
	100				

b. For other Health Maintenance Topics (right hand side of screen): Use the paper icon to add a free text comment if applicable. Provide the date that the outside screening/procedure was done in the date field.

NOTE: values entered here are not consider	ed when displaying or suppressing clinical de	cision support intervent	W Health Maintenance		
Labs			HM Colonoscopy	Standard Follow Up	12/9/14 🚞 🤇
Dutside Hemoglobin A1C	*				Low: High:
Dutside LDL	100 mg/ml	10/9/15	HM Pap Smear	1	
Dutside Urine Microalbumin/Creatinine	1 mg/dL	10/9/15	HM Mammography	12	
Outside Alkaline Phosphate Level	12		HM Diabetic Eye Exam	Retinopathy	4/9/16
Dutside ALT Level	*				Low: High:
Dutside ANC	1		HM Diabetic Foot Exam	12	
Dutside Carbamazepine (Tegretol) Level	1		HM Chlamydia Screening	10	
Dutside CBC Level	1				
Dutside Cyclosporine Level	*				
Dutside Fit	12				
Dutside FOBT	*				
Dutside Lead Screening	2				
Dutside Lithium Level	*				
Outside Phenytoin (Dilantin) Level	12				
Outside Potassium Level	*				
lutside TSH Level	1				
Outside Pediatric Anemia Screening	*				
	(the)				

3. This is how Results Console will appear after entering the outside information in the activity:

Results Console					
NOTE: values entered here are not considered v	when displaying or suppressing clinical d	ecision support interventions su	Health Maintenance		
Labs			HM Colonoscopy	Standard Follow up	12/9/14
Outside Hemoglobin A1C			HM Pap Smear		
Outside LDL	100 mg/ml	10/9/15	HM Mammography		
Outside Urine Microalbumin/Creatinine	1 mg/dL	10/9/15	HM Diabetic Eye Exam	Retinopathy	4/9/16
Outside Alkaline Phosphate Level			HM Diabetic Foot Exam		
Outside ALT Level			HM Chlamydia Screening		
Outside ANC					
Outside Carbamazepine (Tegretol) Level					
Outside CBC Level					
Outside Cyclosporine Level					
Outside Fit					
Outside FOBT					
Outside Lead Screening					
Outside Lithium Level					
Outside Phenytoin (Dilantin) Level					
Outside Potassium Level					
Outside TSH Level					
Outside Dediatric Anomia Ecrooping					

4. The Health Maintenance Topics will be updated based on the information entered in the Results Console. <u>Note</u>: some results are entered overnight and will not immediately display, while others may be displayed immediately by clicking on the "Update HM" button in the HM toolbar.

Dpdate HM

	Due Date	Topic	Frequency	Date Completed
0	8/21/1962	LIPID PANEL	5 year(s)	
0	8/21/1962	BLOOD PRESSURE	2 year(s)	
	8/21/1962	Depression Screening	1 year(s)	
Ð	8/21/1983	Adult Td,Tdap Booster	10 year(s)	
•	9/1/2016	INFLUENZA VACCINE (1)	1 year(s)	
	10/9/2020	LIPID PANEL	5 year(s)	10/9/2015
	12/9/2024	Colorectal Cancer Screening: Colonoscopy	10 year(s)	12/9/2014

Postponing the Health Maintenance Advisory

- 1. From the **Health Maintenance** activity, click on the Postpone button.
- 2. From **Postpone until**: choose the future date.
- 3. Postpone Reason: add a reason.
- 4. Click the Accept button.

	-				1			TT	respond neadons morader
	Due Date	Topic		Frequency	Date Com	pleted		1100	· · ·
0	8/21/1962	LIPID PANEL		5 year(s)					Title
0	8/21/1962	Health Maintenand	Health Maintenance Postpone - LIPID PANEL						Competing Comorbidity
0	8/21/1962	Day Date	Tool of the local division of the local divi					Compliant with Maximum Tolerated Therap	
	8/21/1983	Due Date Topic			Suggested Date			Intolerant to Therapy / Contraindiction	
	0/2/1/1003	8/21/1962	1962 LIPID PANEL 12/12		212/2021			Patient Cannot Afford	
•	9/1/2016	0		Postpone	Postpone until:		C3	Patient Declines / Guardian Declines	
	10/9/2020			Postpone			A 0		1
	12/9/2024			1000				the second second	
					A	ccept	Cancel		

📲 Health Maintence (HM) Due Date

The Health Maintenance (HM) Due Date is the date when the patient is next due for a procedure/test. If no completed procedure is found within the system, this date reverts to the patient's date of birth or the birthday on which the patient becomes eligible for that procedure.

- 1. Use the **Update HM** button to ensure the topic due dates are reflective of the most recent available data.
- 2. If the **Update HM** button is grayed out, the data is refreshed and current.

Health Maintenance

	Due Date	Topic	Frequency	Date Completed		
0	8/21/1962	LIPID PANEL	5 year(s)			
0	8/21/1962	BLOOD PRESSURE	2 year(s)			
0	8/21/1962	Depression Screening	1 year(s)			
0	8/21/1962	LIPID PANEL	5 year(s)			
0	8/21/1983	Adult Td, Tdap Booster	10 year(s)			
•	8/21/2012	Colorectal Cancer Screening: Colonoscopy	10 year(s)			
0	9/1/2016	INFLUENZA VACCINE (1)	1 year(s)			

Nodifying the Health Maintenance Alert / Patient Not a Candidate

Use "Edit Modifiers" to change an HM due date or to mark an HM alert as permanently satisfied.

- 1. From the Health Maintenance activity, click the **Edit Modifiers** Edit Modifiers
- 2. Choose a modifier to:
 - a) Change when the next alert is due (ex. High risk patient may need a more frequent colonoscopy)
 - b) Remove an alert from HM by selecting the "Not a Candidate for" option (Ex. patient with a colostomy is not a colonoscopy candidate)



🖳 Pri

Printing a report

To print or copy/paste a report from the Health Maintenance activity, click the Report button.

Health Maintenance Report

Health Maintenance Summary			
LIPID PANEL	Overdue	8/21/1962	
BLOOD PRESSURE	Overdue	8/21/1962	
Depression Screening	Overdue	8/21/1962	
Adult Td,Tdap Booster	Overdue	8/21/1983	
INFLUENZA VACCINE	Overdue	9/1/2016	
LIPID PANEL	Next Due	10/9/2020	
	Done	10/9/2015	LDL - EXTERNAL
Colorectal Cancer Screening: Colonoscopy	Next Due	12/9/2024	
	Done	12/9/2014	HM Colonoscopy
	Done	12/9/2014	HM Colonoscopy
	Done	9/9/2014	HM Colonoscopy